## ROPE Flexlight

the most popular LED rope light



CLC/ROPE-flex-voltage-colour

Indoor/ Outdoor 120v, 12v, 24v DIP LED's high quality, Instant-on, no warm-up time **PROJECT STATUS** ORDER CODE QUANTITY

Item Number	IFLC-18 IFLC-		IFLC-28	8 IFLC-48				IFLC-38		
Picture										
Description	LED Instant Flexilight (Rope Light)									
Size	Ø13mm (1/2")									
Voltage	DC 110~120V DC 12V			DC 24V			DC 220~240V			
Wattage	2.4 W/m 2.8 W/m			2.8 W/m			2.4 W/m			
Unit Length	1 m 0.083 m (			(3") 0.167 m (6")			6")	2 m		
Max Loading Lgth	200 m 15 m (50			Ft) 30 m (100 Ft)			400 m			
Packing Size	45 m (150 Ft) /roll, 2 rolls/case 45 m (150			OFt) /roll, 2 rolls/case 45 m (150Ft) /roll, 2		olls/case rolls/case				
No. Of Wire	Wire Gauge	Bulb S	pacing	Bulb Inse	rting	ing Bulb Shape		Bulb Connection		Luminous Flux
2	20 AWG	36 Bulk	os/m	Horizontal		Concave		1 Bulb/Jump		6 Lm/Bulb
Certificate	UL, cUL, CSA, CE, RoHS			Warranty 1 Year						
Free Accessories	Each roll includes 1 Power Cord and 1 End Cap (attached)									
	Clear Tubing with Color Bulbs						Color Tubing with Color Bulbs			
Colors Available	Green (G)  Faux Green (F)			Multi-Color (BGRY) 4 Colors + Color Changing Bulb (BGRYX) 5 Colors + Color Changing Bulb (XRYGBP) 5 Steady + 1 Twinkling White (T)				White PVC + White LED (PW) Red PVC + Red LED (RS) Yellow PVC + Yellow (YS) Green PVC + Green LED (GS) Green PVC + Faux Green LED (FS) Blue PVC + Blue LED (BS) Orange PVC + Orange LED (OS) Pink PVC + Pink LED (PS) Purple PVC + White LED (PL)		
























Accessories								
Picture	Item No.	Description	Picture	Item No.	Description			
	F116	Power Cord, 0.8A Rectifier F117: No Plug		F106	Power Cord, 1.6 A Rectifier F127: No Plug			
	F118	Power Cord, 7A Rectifier F128: No Plug		F1&F2	Power Cord F102: No Plug			
	F107	Power Cord, Flush Type Power Connector		F13	Power Cord with Housing Clamp			
	F113	Power Cord with Housing Clamp, 1.6A Rectifier		F136	Power Cord with Housing Clamp, 0.8A Rectifier			
	F15	Power Cord with PVC Power Connector		F21	Power Cord with on/off Switch			
	F101	Power Cord with Car Adapter		F10	Y-Cord			
	F18	Jumper Cable, 6Ft		F19	Extension Cable, 9Ft			















Accessories							
Picture	Item No.	Description	Picture	ltem No.	Description		
	F2	Power Connector		F201	Compression Nut for Power Connector, Bag of 5 pcs		
	F3	Splice Connector		F11	T-Connector		
	F131	Housing Clamp, Power		F14	Housing Clamp, Splice		
	F16	PVC Splice Connector		F22	PVC T-Connector		
	F23	PVC X-Connector		F12	PVC L-Connector		
	F9	Easy Splice Connector	MATERIA # # # # # # # # # # # # # # # # # # #	F350	Male Pin, Bag of 10 pcs		
	F91	Easy Splice Connector + Heat Shrink Tube, 2 of Each		F34	Heat Shrink Tube, Bag of 100 pcs		















Accessories							
Picture	Item No.	Description	Picture	ltem No.	Description		
	F400	End Cap, Bag of 100 pcs		F405	End Cap, Bag of 5 pcs		
	F114	P-Mounting Clip, Bag of 100 pcs		F6	C-Mounting Clip, Bag of 100 pcs		
	F83	U-Channel, 3Ft, Multiple of 50 pcs Add \$5 if less than Multiple		F8	U-Channel, 6Ft, Multiple of 150 pcs Add \$5 if less than Multiple		
	F28	PVC Glue		F5	Tie Strip, Bag of 100 pcs		
	F7	Suction Cup		F124	Power Cord & End Cap, 5 of Each		
	RS220 8	8-Socket Cable, Double Channel		RS120 8	8-Socket Cable, Single Channel		
	LWL- 210C	Mini Controller		LWL- 2CC	LED Flasher, 120V, 8A, 2 Receptacle Slots (Set)		
ACCENTION TO COLUMN TO COL	WL- 3DC	LED Dimmer, 120V, 8A, 2 Receptacle Slots (Set)		WL- F01	Replacement Fuse, 8A, Bag of 2 pcs		
INTERTER			ASSURA				











